


Cascading Charms
78.5" x 90.5"



Materials

- *1 Charm Pack,
or 42 5" print squares
or 7/8 yard
- * 1.5 yard complimentary print fabric
- * 2 yard light solid/marbled fabric
- * 2.75 yard dark solid/marbled fabric & 2nd border
- * .75 yard contrasting 1st border & binding
- * 7.25 yards backing fabric



You may use this pattern to make quilts for any purpose, including resale.

Copying or distributing this pattern without consent is prohibited.

Copyright 2011©

Fabrics N Quilts

www.fabricsnquilts.com


847 Old Hwy 127 S.

Jamestown, TN 38556

Fabrics N Quilts
847 Old Hwy 127 S
Jamestown, TN 38556
931-752-7539
www.fabricsnquilts.com

030-430-70-00 & 0-1-597

Step 1: Cut Block Pieces as follows:



A: 42 light solid, 42 dark solid

B: 42 light solid, 42 dark solid, 42 print

C: 42 squares from charm pack, or other 5" squares





D: 42 print

Step 2: With right sides together, using 1/4" seam allowances, sew strip D to the top of square C. Repeat for all 42 blocks. Press seams toward outside strip.



Cutting Diagrams

Patch Count



Step 3: Using the same technique from Step 2, sew print strip B to the right of the unit created in Step 2. Repeat for all 42 blocks.

Press toward outside strip




Step 4: Using the same techniques from step 3 & 4, sew light solid to bottom of block from Step 3. Be careful to place light & dark strips on correct side of block from step 3.



Step 5: Using the same techniques from prior steps, sew dark solid to top of block from Step 4. Be careful to place light & dark strips on correct side of block from step 3.



Step 6: Using the same techniques from prior steps, sew dark solid to right of block from Step 5 and light solid to left side. Be careful to place light & dark strips on correct side of block from step 5.



Block should measure 12.5"

Step 7: Lay out your blocks on a design wall, bed or table to get the placement of your quilt just as you desire. Inverting the blocks will give you the cascading effect. Mark placement of rows & positions in rows to insure proper placement as you transfer each row to the sewing machine. (R1, B2 {row 1, block2})

Step 8: With right sides together, using 1/4" seam allowances, assemble each row. Press seams toward darker fabric.

Step 9: With right sides together, using 1/4" seam allowances, sew assembled rows from Step 7 into completed top.

Step 10: Quilt as desired and bind.